AFFILIATES IN GASTROENTEROLOGY, P. A.

Preparation for Colonoscopy- Prepopik (appointment 10:30 AM or later)

FOLLOW THESE INSTRUCTIONS. DISREGARD THE MANUFACTURER'S INSTRUCTIONS

Colonoscopy is a routine, safe and pain free procedure used to examine the colon. These are the steps that you must take before the procedure. No IBUPROFIN, IRON, or VITAMIN E should be taken at least 7 days prior to colonoscopy. Patients on COUMADIN, PLAVIX, PERSANTINE should discontinue it 3 to 5 days prior to colonoscopy, WITH THE CONSENT of your cardiologist/internist. IF THERE ARE QUESTIONS, PLEASE CHECK WITH OUR OFFICE. If you are unsure of other medications you may be taking, CHECK WITH OUR OFFICE. TYLENOL AND/OR MULTIVITAMINS ARE ALLOWED.

NOTE: SINCE YOU WILL BE UNABLE TO DRIVE AFTER THE PROCEDURE, PLEASE HAVE A DRIVER ACCOMPANY YOU. YOU MAY NOT DRIVE A VEHCILE UNTIL THE NEXT DAY.

1. Get your prescription filled at the pharmacy.

973-455-0404

- 2. On the day prior to your colonoscopy, start your clear liquid diet. Your diet may consist of: strained fruit juices without pulp (apple, white grape, lemonade), Gatorade, Jell-O (without added fruits or toppings), ice popsicles, black coffee or black tea and water. **Do not** take any milk or milk products, tomato juice or any <u>red or purple</u> liquids or Jell-O. Nothing should contain seeds or nuts.
- 3. Day before colonoscopy, at <u>5 PM</u>, take the first dose of PREPOPIK.

STEP ONE: Fill the cup provided with cold water up to the lower (5-ounce) line on the cup. STEP TWO: POUR in the contents of ONE (1) packet. STIR for 2-3 minutes until dissolved. DRINK the entire contents.

STEP THREE: FOLLOW with FIVE (5) 8-ounce drinks of clear liquid.

4. Day of colonoscopy (in the AM) **NO LATER THAN FIVE (5) HOURS BEFORE YOUR PROCEDURE**, Repeat steps ONE and TWO. Follow with at least FIVE (5) 8 ounce drinks of clear liquid.

YOU MAY DRINK WATER UP UNTIL 3 HOURS PRIOR TO YOUR PROCEDURE. NOTHING MAY BE TAKEN BY

MOUTH THEREAFTER. Colonoscopy requires sedation. Because of this you are not allowed to have anything for 3 hours before your procedure. If you don't adhere to this, your procedure will be cancelled or delayed.

Name	Date	
REPORT TO:		
	rk Endoscopy Center, 195 Columbia Turnpike, Florhan	n Park. N.J.
	n Crescent Plaza, Starbucks and Kings) (973-410-1800	
ν.	idoscopy Center of Northern NJ 91 S. Jefferson Road	,
973-929-68	, ,	
	s Medical Center, 1300 Short Stay Unit, Old Short Hills	Rd Livingston N.I
(973-322-50	· · · · · · · · · · · · · · · · · · ·	rta, Livingston, iv.o.
`	is Ambulatory Care Center, Main Entrance, 200 South	Orange Avenue
	N.J. (opposite Livingston Mall) (973-322-7723)	Orange Avenue,
•	, , ,	1 (072 071 5000)
	Memorial Hospital 100 Madison Avenue Morristown, N	,
IVIOITISIOWII	Surgical Center 111 Madison Avenue 4th floor Morristo	wii, NJ (973-971-0970)
REGISTER AT:	A.M. P.M., PROCEDURE	AT:A. M. P. M.
Morristown Office	Morristown Office	West Orange Office
Drs. Samach, Wallach	Dr. Stein	Drs. Sloan, Schrader,
Rosen, Morton	973-410-0960	Schuman, Askin,

Rosenthal 973-731-4600